


# Outdoor

2026 Catalogue



BEYOND LIGHT..  
TO THE LAST DETAILS!



We strive to be  
the leader in the industry  
and the world's most  
respected lighting solution  
provider.


## ILLUS Lighting

ILLUS dedicates itself to provide human oriented architectural lighting solution and products for indoor and outdoor applications. A truly innovative company, ILLUS has always been at the forefront of professional office lighting since inception. Since then ILLUS continues developing innovative, custom lighting solutions that meet extremely exacting requirements in terms of ergonomics, economic efficiency and environmental compatibility and also deliver aesthetic added value to our customers. Our customers will always find that our solutions reflect the requirements satisfying a broad range of customer needs for every lighting application ILLUS is a brand that helps revealing the beauty around you where it constitutes of products and solutions designed with care and attention to detail giving professional quality products.

Our goal has always been to offer our customers a first-class product backed by unparalleled service, focused on solving our client's illumination challenges.

## Our Vision

In ILLUS every detail created with enthusiasm constantly evolving technology to simplify the life of people. We consistently innovate and devote to decrease power consumption to ease the burden of earth. Light is essential for people's life quality and well-being, we care for every situation people need artificial light whenever light serves. ILLUS lighting is beyond light, to the last details.



## Where to find us

### Kingdom of Saudi Arabia-Head Office

📍 3533 Al Kharj Rd, Al Aziziyah, Riyadh 14511  
<https://maps.app.goo.gl/TRgDmL4efaDRzWWL8>

### China – illus

📍 Star Alliance, No.68 Zhongxing Avenue, Guzhen, Zhongshan,Guangdong, China  
<https://maps.app.goo.gl/cJJefWvYRyfzAQjq8>

### Spain – illus

📍 46970 Alaquàs, Valencia, Spain  
<https://goo.gl/maps/C5DejH52sP17L2Nv9>

### UAE – Build Station

📍 75 6th St - Al Quoz - Dubai - United Arab Emirates  
<https://goo.gl/maps/LCTSSYSqEB2mcAbA8>

### Kingdom of Bahrain

📍 7J3Q+R36, Arad, Bahrain  
<https://maps.app.goo.gl/e2wceYwDusnepts7>

### Qatar – Build Station

📍 Zone 43, Street 340, Salwa Rd, Doha, Qatar  
<https://maps.app.goo.gl/hQY8PbFDPbXKYiqJ6>

### Oman – Build Station

📍 18 November Street 411 Muscat, Al Aziba, 130, Oman  
<https://goo.gl/maps/6tJLBVdhiVPvUE1w7>

### Kuwait –Lighting Stores

📍 No 4, Opposite the city center entrance, 142 8 St, Shuwaikh Industrial, Kuwait  
Lighting Stores - Google Maps

### Egypt -illus

📍 13 El Obour Bldgs. Salah Salem – Masr El-Gedida - Cairo  
30° 04'40.0"N 31° 18'36.7"E - Google Maps



## R&D and Manufacturing

### Manufacturing

ILLUS has two directly-operated production bases in Yangzhou covering an area of 25,000 square meters and 300 staffs. The production bases contain over 30 hi-speed automatic encapsulation lines, 15 automatic SMD and applied welding lines, 5 automatic extrusion lines and 6 automatic luminaire production lines, characterizing a complete production process for LED strip inclusive of LED encapsulation, hi-speed SMT, automatic welding and full series of water resistance with average monthly production capacity of LED strips reaching up to 1.5 million meters. Besides, ILLUS modernized manufacturing factory to achieve a complete production process for linear luminaire inclusive of precision machining, automatic assembly, color spraying and free customization with average monthly production capacity reaching up to 120,000 strips in order to assure customers of high-quality, super cost-effective products and rapid delivery.



### R&D

ILLUS has established a R&D expert team composed of over 50 core technicians, a majority of which graduated from top-rated universities and are proficient in such fields as optics, technique, material science, electrics, thermal physics, intelligent control and industrial design with more than 10years R&D experience and technical know-how in linear lighting.



#### Laboratory & Inspection

Laboratory of ILLUS, covering an area of 460 square meters, was outfitted with 48 sets of equipment which was distributed as per safety zone, EMC zone, photoelectric zone, IP water resistance zone, aging zone and product reliability zone. Inspection covers products inclusive of LED strip, neon strip, linear luminaire, power supply and related accessories, with inspection standard ranging from safety, EMC, performance to product reliability. Testing reports can be tracked all the way from product design evaluation period to type approval period to guarantee quality of products.



#### Patent

ILLUS strives to R&D in product and technology. So far, it has gained 3 invention patents and nearly 100 utility model patents and appearance patents.

# Contents

## Surface Frames

- Surface Mounted Luminaire

## LED Wall & Wall Luminaire

- LED Wall Luminaire
- LED Surface Mounted Luminaire
- LED Recessed Luminaire
- LED Flood Luminaire
- Surface Mounted Luminaire
- Recessed Step Light

## LED Bollard & Bollard Luminaire

- LED Bollard Luminaire
- Bollard Luminaire
- Fence Luminaire

## Projector Series

- LED Projector Luminaire
- Projector Luminaire
- LED Surface-Mounted Luminaire
- LED Spike Luminaire
- LED Spike Projector Luminaire
- Surface-Mounted Luminaire
- Spike Projector Luminaire

## In-Ground Luminaire Series

- LED In-ground Luminaire
- In-Ground Luminaire

## Solar Light

- LED Solar Street Light Luminaire
- LED Solar Surface-Mounted Luminaire
- LED Solar Bollard Luminaire
- LED Solar Spike Luminaire
- LED Solar Wall Luminaire
- LED Solar Flood Light Luminaire



BEYOND LIGHT.  
TO THE LAST DETAILS!

# Outdoor Lighting

- Surface Frames
- LED Wall & Wall Luminaire
- LED Bollard & Bollard Luminaire
- Projector Series
- In-Ground Luminaire Series
- Solar Light



## Surface Frames

■ Surface Mounted Luminaire



Surface Mounted Luminaire

## Starlight



- 621025 Max.9W
- 621026 Max.9W
- 613321 Max.9W

- Aluminum
- IP 54    ⚡ GU10
- ⏚ AC220-240V

Beyond Light,  
To the last details



## LED Wall & Wall Luminaire

- LED Wall Luminaire
- LED Surface Mounted Luminaire
- LED Recessed Luminaire
- LED Flood Luminaire
- Surface Mounted Luminaire
- Recessed Step Light





Slim LED Wall Grazer Luminaire

## Rigel Kentaurus





● 615566 36W 1200lm 3000K ■ Aluminum

IP 67 CRI 85  $\nabla$  20°\*30°  
 AC220-240V ⌚ 30,000h



● 615567 18W 500lm 3000K ■ Aluminum

IP 67 CRI 85  $\nabla$  20°\*30°  
 AC220-240V ⌚ 30,000h





● 615566 12W 300lm 3000K ■ Aluminum



IP 67 CRI 85  $\nabla$  20°\*30°  
 AC220-240V ⌚ 30,000h





# Capella




- 615554 36W 2300lm 3000K ■ Stainless Steel+Aluminum
- 615555 25W 1450lm 3000K IP 67 CRI 85 ▽ 15°\*24°
- 615560 36W 2550lm 4000K □ AC220-240V ⌚ 30,000h
- 615561 25W 1650lm 4000K



- 615556 36W 1150lm 3000K ■ Stainless Steel+Aluminum
- 615557 25W 750lm 3000K IP 67 CRI 85 ▽ 15°\*24°
- 615562 36W 1650lm 4000K □ AC220-240V ⌚ 30,000h
- 615563 25W 1300lm 4000K





- 615558 11W 640lm 3000K ■ Stainless Steel+Aluminum
- 615564 11W 720lm 4000K IP 67 CRI 85 ▽ 15°\*24°
- AC220-240V ⌚ 30,000h



- 615559 5W 250lm 3000K ■ Stainless Steel+Aluminum
- 615565 5W 300lm 4000K IP 67 CRI 85 ▽ 15°\*24°
- AC220-240V ⌚ 30,000h

# Stellar




● 521308 12.5W 3000K 1350lm

■ Aluminum

IP 65 CRI 85 120°  
AC100-240V 30,000h

# Dreamlike




● 521310 13W 3000K 1000lm

■ Aluminum

IP 65 CRI 85 90°  
AC100-240V 50,000h

# Twilight




● 521309 6.5W 3000K 385lm

■ Aluminum

IP 65 CRI 95 220°  
AC100-240V 30,000h

# Marvel



● 611321 7W 3000K 176lm

■ Aluminum

IP 54 CRI 80  $\angle$  110°  
AC220-240V 50,000h




● 611322 7W 3000K 186lm

■ Aluminum

IP 54 CRI 80  $\angle$  110°  
AC220-240V 50,000h

# Silverlake




● 611324 10W 3000K 718lm

■ Aluminum

● 611323 10W 3000K 485lm

IP 54 CRI 80  $\angle$  110°  
AC220-240V 50,000h



● 611326 10W 3000K 718lm

■ Aluminum


● 611325 10W 3000K 396lm

IP 54 CRI 80  $\angle$  110°  
AC220-240V 50,000h



LED Wall Luminaire

# Idyll



● 521317 9W 3000K 420lm

■ Aluminum

IP 65 CRI 85  $\nabla$  70°  
AC100-240V  $\text{⌚}$  30,000h

## Idyll Series Family Products

LED Bollard Luminaire



● 521318




● 521319



LED Wall Luminaire

## Mushroom



● 521320 12.5W 3000K 500lm

■ Aluminum

IP 54 CRI 85  $\angle$  90°  
AC100-240V ⌚ 30,000h

### Mushroom Series Family Products



LED Bollard Luminaire



● 521321

● 521322

## Changing



- 541175 11W 3000K 740lm
- 541176 11W 4000K 800lm
- Aluminum IP 65 CRI 85 60°\*2
- AC220-240V ⚡ 30,000h


### Changing Series Family Products

LED Bollard Luminaire



- 541169
- 541170
- 541171
- 541172
- 541173
- 541174

## SkyEye



- 541195 7W 3000K 270lm
- Aluminum IP 65 CRI 85 120°
- AC220-240V ⚡ 30,000h

### SkyEye Series Family Products



LED Bollard Luminaire



- 541192
- 541193
- 541194

LED Wall Luminaire

## Radiance




- 541182 13W 3000K 960lm
- 541183 13W 4000K 1040lm

■ Aluminum

IP 65 CRI 85  $\angle$  110°\*2  
AC220-240V 30,000h

LED Wall Luminaire

## Spin




- 541184 13W 3000K 370lm

■ Aluminum

IP 65 CRI 85  $\angle$  280°  
AC220-240V 30,000h

LED Wall Luminaire

## Poetry




- 541185 13W 3000K 1000lm
- 541186 13W 4000K 1050lm

■ Aluminum

IP 65 CRI 85  $\angle$  120°  
AC220-240V 30,000h

LED Wall Luminaire

## Cube



- 541190 13W 3000K 250lm
- 541191 13W 4000K 250lm



■ Aluminum

IP 65 CRI 85  $\angle$  107°  
AC220-240V 30,000h






LED Wall Luminaire

## Art



- 541196 13W 3000K 490lm
- 541197 13W 4000K 520lm


■ Aluminum

IP 65 CRI 85  140°  
 AC220-240V  30,000h






LED Wall Luminaire

## Splendor



- 541180 13W 3000K 770lm
- 541181 13W 4000K 820lm


■ Aluminum

IP 65 CRI 85  90°  
 AC220-240V  30,000h



LED Wall Luminaire

## Lullaby




- 541177 13W 3000K 700lm
- 541178 13W 4000K 750lm

■ Aluminum  
 IP 65 CRI 85  $\nabla$  220°  
 AC220-240V ⚡ 30,000h

LED Wall Luminaire

## Fable



- 541179 7W 3000K 530lm

■ Aluminum  
 IP 65 CRI 85  $\nabla$  100°  
 AC220-240V ⚡ 30,000h






LED Wall Luminaire

# Moonlight



● 541165 20W 3000K 900lm

■ Aluminum IP 65 CRI 85  160°  AC220-240V  30,000h

## Moonlight Series Family Products

LED Bollard Luminaire



● 541162




● 541163





● 541164


# Daybreak



● 541166 13W 3000K 600lm  
■ Aluminum  
IP 65 CRI 85  $\nabla$  115°  
AC220-240V 30,000h




● 541167 20W 3000K 950lm  
■ Aluminum  
IP 65 CRI 85  $\nabla$  130°  
AC220-240V 30,000h



● 541168 30W 3000K 1500lm  
■ Aluminum  
IP 65 CRI 85  $\nabla$  130°  
AC220-240V 30,000h

Wall Luminaire

## Lane Shine




● 614191 Max.9W

■ Aluminum+Glass

IP 54    ⊥ GX53  
⏏ AC220-240V

Wall Luminaire

## Warm Sun



● 614192 Max.9W


■ Aluminum+Glass

IP 54    ⊥ GX53  
⏏ AC220-240V



Wall Luminaire


## Valse-R



● 614194 Max.9W

■ Aluminum+Glass

IP 54    ⊥ MR11/GU10  
⏏ AC220-240V



● 614195 Max.9W


■ Aluminum+Glass

IP 54    ⊥ MR11/GU10  
⏏ AC220-240V



Wall Luminaire


## Valse-A



● 614196 Max.9W

■ Aluminum+Glass

IP 54    ⚡ MR11/GU10  
 ⚡ AC220-240V




● 614197 Max.9W

■ Aluminum+Glass

IP 54    ⚡ MR11/GU10  
 ⚡ AC220-240V

Wall Luminaire

## Magic



● 614373 Max.9W


■ Aluminum

IP 54    ⚡ GU10  
 ⚡ AC220-240V



Wall Luminaire


## Cloud



● 614198 Max.9W

■ Aluminum+Glass

IP 54      ⊣ MR11/GU10  
 □ AC220-240V




● 614199 Max.9W

■ Aluminum+Glass

IP 54      ⊣ MR11/GU10  
 □ AC220-240V

Wall Luminaire

## Ideal



● 614193 Max.9W


■ Aluminum+PC

IP 54      ⊣ GX53  
 □ AC220-240V



LED Surface Mounted Linear Light Luminaire


### Arcturus




- 615364 12W 3000K 350lm ■ Aluminum +Plastic
- IP 65 CRI 85 120°
- DC24V 50,000h

LED Surface Mounted Linear Light Luminaire(RGBW)

### Rigel




- 615365 12W RGBW W=3000K ■ Aluminum +Plastic
- IP 65 120°
- DC24V 50,000h



- 611327 8.5W 3000K 206lm
- 611328 8.5W 6500K 206lm
- 611329 8.5W Red 400lm
- 611330 8.5W Green 206lm
- 611331 8.5W Blue 206lm
- 611332 8.5W Yellow 206lm
- 611333 8.5W Purple 206lm

■ Aluminum+PC

IP 54 CRI 80  $\angle$  180°\*3.4  
 AC220-240V  $\odot$  50,000h



- 613225 8.5W 3000K 162lm
- 613226 8.5W 5700K 196lm
- 613227 8.5W Red 41lm
- 613228 8.5W Green 46lm
- 613229 8.5W Blue 20lm
- 613230 8.5W Purple 38lm
- 613231 8.5W Yellow 161lm


■ Aluminum+PC

IP 54 CRI 80  $\angle$  180°\*6.5  
 AC220-240V  $\odot$  50,000h



LED Surface Mounted Luminaire

## Blue Sky



● 541079 13W 3000K 940lm

■ Aluminum

IP 65 CRI 80 119°  
 AC220-240V 30,000h

### Blue Sky Series Family Products

LED Bollard Luminaire



● 541112



● 541113




● 541114



LED Surface Mounted Luminaire

## Serenade




- 541098 11W 3000K 660lm
- 541094 13W 3000K 660lm

■ Aluminum  
 IP 65 CRI 80  $\angle$  122°  
 AC220-240V 30,000h

LED Surface Mounted Luminaire

## Sparkle




- 541081 3.5W 3000K 39lm

■ Aluminum  
 IP 65 CRI 80  $\angle$  17°  
 AC220-240V 30,000h

LED Surface Mounted Luminaire


## Garden



- 541115 4.5W 3000K 874lm

■ Aluminum  
 IP 54 CRI 80  $\angle$  117°  
 AC220-240V 30,000h



# Endless



● 541086 10W 3000K 313lm

■ Aluminum

IP 54 CRI 80  $\angle$  46°  
AC220-240V 30,000h




● 541096 11W 3000K 366lm

■ Aluminum

● 541088 11W 3000K 366lm


IP 65 CRI 80  $\angle$  203°  
AC220-240V 30,000h

## Riverbank




- 541133 3.5W 3000K 54lm ■ Aluminum
- IP 65 CRI 80  $\angle$  202°
- AC220-240V 30,000h

## Muse



- 541134 3.5W 3000K 272lm ■ Aluminum
- IP 65 CRI 80  $\angle$  60°
- AC220-240V 30,000h

## Misty



- 541061 10W 3000K 511lm ■ Aluminum
- 541060 10W 3000K 511lm
- IP 65 CRI 80  $\angle$  137°
- AC220-240V 30,000h

## Moment






- 541063 9W 3000K 530lm ■ Aluminum
- 541062 9W 3000K 530lm
- IP 65 CRI 80  $\angle$  137°
- AC220-240V 30,000h



LED Surface Mounted Luminaire

## Whisperwind





- 541068 7W 3000K 360lm
- 541067 7W 3000K 360lm

■ Aluminum  
 IP 54 CRI 80 140°  
 AC220-240V 30,000h

LED Surface Mounted Luminaire

## Midnight




- 541065 9W 3000K 258lm
- 541064 9W 3000K 258lm

■ Aluminum  
 IP 54 CRI 80 263°  
 AC220-240V 30,000h

LED Surface Mounted Luminaire

## Dreamscape





- 541070 3.5W 3000K 97lm
- 541069 3.5W 3000K 97lm

■ Aluminum  
 IP 65 CRI 80 72°  
 AC220-240V 30,000h



LED Surface Mounted Luminaire

## Faraway




● 541102 13W 3000K 755lm ■ Aluminum

IP 65 CRI 80 258°  
AC220-240V 30,000h

LED Surface Mounted Luminaire

## Moonlit




● 541104 7W 3000K 235lm ■ Aluminum

IP 65 CRI 80 112°  
AC220-240V 30,000h




● 541105 13W 3000K 362lm ■ Aluminum

IP 65 CRI 80 114°  
AC220-240V 30,000h




LED Surface Mounted Luminaire

## Velvet



● 541111 7W 3000K 169lm ■ Aluminum

IP 65 CRI 80 218°  
AC220-240V 30,000h




● 541110 13W 3000K 609lm ■ Aluminum

IP 65 CRI 80 303°  
AC220-240V 30,000h



# Crystal




● 541106 7W 3000K 370lm

■ Aluminum

IP 65 CRI 80 173°  
AC220-240V 30,000h

# Moonbeam




● 541108 11W 3000K 387lm

■ Aluminum

IP 65 CRI 80 270°  
AC220-240V 30,000h

# Boat





● 541107 13W 3000K 698lm

■ Aluminum

IP 65 CRI 80 111°  
AC220-240V 30,000h

# Frost




● 541109 7W 3000K 179lm

■ Aluminum

IP 65 CRI 80 118°  
AC220-240V 30,000h








## Geometry




● 521007 6W 3000K 176lm

■ Aluminum



IP 54 CRI 80  110°\*5°  
 AC100-240V  50,000h




● 613323 11W 370lm 3000K ■ Aluminum  
 IP 65 CRI 82  $\angle$  180°  
 □ AC220-240V ⌚ 30,000h




● 613331 6W 220lm 3000K ■ Aluminum  
 IP 65 CRI 82  $\angle$  160°  
 □ AC220-240V ⌚ 30,000h



● 613341 3.5W 190lm 3000K ■ Aluminum  
 IP 54 CRI 82  $\angle$  120°  
 □ AC220-240V ⌚ 30,000h



● 613337 9.5W 850lm 3000K ■ Aluminum  
 IP 54 CRI 82  $\angle$  120°  
 □ AC220-240V ⌚ 30,000h




● 613333 6.5W 450lm 3000K ■ Aluminum  
 IP 54 CRI 82  $\angle$  120°  
 □ AC220-240V ⌚ 30,000h



LED Surface Mounted Luminaire

## Sky




● 521219 6W 3000K 161lm

■ Aluminum

IP 54 CRI 80 7°\*79°  
 AC100-240V 30,000h

LED Surface Mounted Luminaire

## Sunset



● 521224 3W 3000K 99lm

■ Aluminum

IP 54 CRI 80 70°\*80°  
 AC100-240V 30,000h



LED Surface Mounted Luminaire


## Even



- 521255 6W 3000K 300lm  $\nabla$  90°\*97° ■ Aluminum
- 521241 6W 3000K 600lm  $\nabla$  105°\*65°
- IP 54 CRI 80
- AC100-240V 30,000h

LED Surface Mounted Luminaire

## Rainy Night




- 521267 12W 3000K 500lm ■ Aluminum
- IP 54 CRI 80  $\nabla$  97°\*65°
- AC100-240V 30,000h



LED Surface Mounted Luminaire

## Soul




● 521269 10W 3000K 1020lm

■ Aluminum

IP 54 CRI 80  $\nabla$  30°\*30°  
 AC100-240V ⌚ 30,000h

LED Surface Mounted Luminaire

## Ripple



● 521262 4W 3000K 240lm


■ Aluminum

IP 54 CRI 80  $\nabla$  180°  
 AC100-240V ⌚ 30,000h



LED Surface Mounted Luminaire

## MistyShine




- 521239 6W 3000K 245lm
- 521253 6W 3000K 245lm

■ Aluminum

IP 54 CRI 80  $\nabla$  95\*\*70°  
 AC100-240V ⚡ 30,000h

LED Surface Mounted Luminaire

## Heaven



- 521265 6W 3000K 840lm


■ Aluminum

IP 54 CRI 80  $\nabla$  112°  
 AC100-240V ⚡ 30,000h



LED Surface Mounted Luminaire

## Wind




- 521240 6W 3000K 350lm
- 521254 6W 3000K 350lm

■ Aluminum

IP 54 CRI 80  $\nabla$  110°\*80°  
 AC100-240V  $\text{⌚}$  30,000h

LED Surface Mounted Luminaire

## Simple




- 521256 12W 3000K 600lm
- 521250 12W 3000K 630lm

■ Aluminum

IP 54 CRI 80  $\nabla$  105°\*65°  
 AC100-240V  $\text{⌚}$  30,000h

# Color



- 521251 12W 3000K 600lm
- 521257 12W 3000K 600lm


■ Aluminum

IP 54 CRI 80 75°\*45°  
AC100-240V 30,000h



LED Surface Mounted Luminaire

## Snowdrift




● 521271 12W 3000K 820lm

■ Aluminum

IP 65 CRI 80  $\angle$  120°  
 AC100-240V 30,000h

LED Surface Mounted Luminaire

## Snowdrift



● 521273 12W 3000K 860lm


■ Aluminum

IP 65 CRI 80  $\angle$  120°  
 AC100-240V 30,000h



LED Surface Mounted Luminaire

## Snowdrift




- 521275 12W 3000K 820lm
- 521276 12W 3000K 820lm

■ Aluminum  
 IP 65 CRI 80  $\angle$  120°  
 AC100-240V 30,000h

LED Surface Mounted Luminaire

## Snowdrift




- 521277 12W 3000K 1000lm
- 521279 12W 3000K 820lm

■ Aluminum  
 IP 65 CRI 80  $\angle$  120°  
 AC100-240V 30,000h






LED Surface Mounted Luminaire

## Serene



● 521211 6W 3000K 300lm

■ Aluminum

IP 54 CRI 80  80\*\*70°  
 AC100-240V  30,000h

Beyond Light,  
To the last details




- 612297 3.5W 3000K 6lm
- 612298 3.5W 3000K 16lm

■ Die Casting Aluminum +ABS

IP 65 CRI 80  
AC220-240V





## Guidelines



● 521228 5W 3000K 105lm

■ Aluminum+ADC12


IP 65 CRI 80  $\nabla$  110°  
AC100-240V ⌚ 30,000h




● 521227 5W 3000K 80lm

■ Aluminum+ADC12

IP 65 CRI 80  $\nabla$  110°  
AC100-240V ⌚ 30,000h




# Stroll



- 521252 2W 3000K 60lm
- 521238 2W 3000K 60lm

■ Aluminum+Glass

IP 65 CRI 80  $\angle$  36\*\*63°  
 AC100-240V 30,000h





- 521249 5W 3000K 150lm

■ Aluminum+ADC12

IP 65 CRI 80  $\angle$  51°  
 AC100-240V 30,000h

# Protector



- 541089 13W 3000K 279lm


■ Aluminum

IP 65 CRI 80  $\angle$  57°  
 AC220-240V 30,000h



LED Recessed Luminaire

## Moon



● 621040 2W 6500K 20lm


■ Stainless Steel+Die Casting Aluminum

IP 65 CRI 80  $\angle$  340°

□ AC220-240V




# Blaze



- 615539 10W 3000K 920lm
- 615540 10W 4000K 940lm
- 615541 10W 6500K 970lm

■ Aluminum


IP 65 CRI 85  $\nabla$  110°  
 □ AC220-240V



- 615542 20W 3000K 1800lm
- 615543 20W 4000K 1850lm
- 615544 20W 6500K 1900lm

■ Aluminum


IP 65 CRI 85  $\nabla$  110°  
 □ AC220-240V



- 615545 30W 3000K 2550lm
- 615546 30W 4000K 2620lm
- 615547 30W 6500K 2800lm

■ Aluminum

IP 65 CRI 85  $\nabla$  110°  
 □ AC220-240V




- 615548 50W 3000K 4450lm
- 615549 50W 4000K 4550lm
- 615550 50W 6500K 4700lm

■ Aluminum


IP 65 CRI 85  $\nabla$  110°  
 □ AC220-240V




# Blaze



● 615551 100W 3000K/4000K/6500K 10000lm@3000K  
 ■ Aluminum  
 IP 65 CRI 85 ▲ 110°  
 ⚡ AC220-240V



● 615552 150W 3000K/4000K/6500K 15000lm@3000K  
 ■ Aluminum  
 IP 65 CRI 85 ▲ 110°  
 ⚡ AC220-240V




● 615553 200W 3000K/4000K/6500K 20000lm@3000K  
 ■ Aluminum  
 IP 65 CRI 85 ▲ 110°  
 ⚡ AC220-240V



Surface Mounted Luminaire

# Symphony



● 541119 Max.23W

■ Aluminum

IP 44 ⚡ E27  
⏚ AC220-240V

## Symphony Series Family Products

Bollard Luminaire




● 541116

● 541117

● 541118

# Coastal-R



● 541034 Max.25W

■ Aluminum

IP 44    ⊥ E27  
AC220-240V

# Bliss



● 541038 Max.25W

■ Aluminum

● 541042 Max.25W

IP 44    ⊥ E27  
AC220-240V

## Coastal-R Series Family Products

Bollard Luminaire



● 541031

● 541032

● 541033

## Bliss Series Family Products

Bollard Luminaire



● 541035

● 541039


● 541037

● 541041

● 541036

● 541040

# Grace




● 541059 Max.8W

■ Aluminum

IP 44    ⚡ E27  
AC220-240V

# Echo




● 541057 Max.8W

■ Aluminum

IP 44    ⚡ GX53  
⏚ AC220-240V

# Aurora



● 614226 Max.9W

■ Aluminum

IP 54    ⚡ GU10  
⏚ AC220-240V

## Echo Series Family Products

Bollard Luminaire



● 541058

● 541055

● 541056

## Aurora Series Family Products

Bollard Luminaire




● 614227



Surface Mounted Luminaire

## Serein



● 541123 Max.25W

■ Aluminum

IP 44    ⚡ E27  
⏚ AC220-240V

### Serein Series Family Products

Bollard Luminaire



● 541120



● 541121




● 541122



Surface Mounted Luminaire

## Melody-R




- 613435 Max.9W
- 613436 Max.9W

■ Aluminum+Glass

IP 54      ⊥ GU10  
 □ AC220-240V

Surface Mounted Luminaire

## Melody-D



- 613437 Max.9W
- 613438 Max.9W

■ Aluminum+Glass

IP 54      ⊥ GU10  
 □ AC220-240V



Surface Mounted Luminaire

Eos



- 613492 Max.9W
- 613490 Max.9W
- 613491 Max.9W

■ Aluminum+Glass

IP 54      ≡ GU10  
 ⏏ AC220-240V



- 613493 Max.9W
- 613319 Max.9W
- 613320 Max.9W

■ Aluminum+Glass

IP 54      ≡ GU10  
 ⏏ AC220-240V



Surface Mounted Luminaire

## Healer-U



● 671268 Max.18W

■ Aluminum

IP 54 ⚡ E27  
 ⚡ AC220-240V

Surface Mounted Luminaire

## Healer-I



● 671269 Max.18W


■ Aluminum

IP 54 ⚡ E27  
 ⚡ AC220-240V



Surface Mounted Luminaire

## Healer-S



● 614266 Max.18W

■ Aluminum

IP 44 ⚡ E27

🔌 AC220-240V

### Healer-S Series Family Products

Bollard Luminaire



● 614267

# Healer-R



● 671270 Max.18W

■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V

## Healer-R Series Family Products

### Bollard Luminaire



● 671274




● 671275





Surface Mounted Luminaire

# Ocean



■ Aluminum

IP 44 ⊕ GX53

⏏ AC220-240V

● 541053 Max.8W

## Ocean Series Family Products

Bollard Luminaire



● 541054



● 541051




● 541052



Surface Mounted Luminaire

## Sunup




● 521152 Max.18W

■ Aluminum

IP 54    ⌊ E27  
 □ AC220-240V

Surface Mounted Luminaire

## Sunup



● 521153 Max.18W

■ Aluminum

IP 54    ⌊ E27  
 □ AC220-240V




Surface Mounted Luminaire

Surface Mounted Luminaire

## Mountain

## Rainforest



● 521217 Max.18W

■ Aluminum

IP 54 ⊔ E27  
□ AC220-240V

● 521243 Max.18W

● 521244 Max.18W


■ Aluminum

IP 54 ⊔ E27  
□ AC220-240V



Surface Mounted Luminaire

## Wetland




● 521245 Max.18W

■ Aluminum

IP 54 ⚡ E27  
 ⚡ AC220-240V

Surface Mounted Luminaire

## Hillside



● 521246 Max.18W


■ Aluminum

IP 54 ⚡ E27  
 ⚡ AC220-240V



Surface Mounted Luminaire

**Dawn**




● 521247 Max.18W

■ Aluminum

IP 54    ⚡ E27  
 ⚡ AC220-240V

Surface Mounted Luminaire

**Lake**



● 521297 Max.18W

■ Aluminum


IP 54    ⚡ E27  
 ⚡ AC220-240V



Beyond Light,  
To the last details



# Novelty




● 614200 Max.5W

■ Aluminum



IP 54 ⚡ G9  
AC220-240V

## Accessories Specifications




● 614201

■ Aluminum




● 614202

■ Aluminum




● 614203

■ Aluminum



● 614205

■ Aluminum




● 614204

■ Aluminum




# Radiant



● 614206 Max.5W


■ Aluminum

IP 54 ⚡ G9  
AC220-240V



● 614207

■ Aluminum



● 614208

■ Aluminum




## LED Bollard & Bollard Luminaire

- LED Bollard Luminaire
- Bollard Luminaire
- Fence Luminaire




# Blue Sky



● 541112 13W 3000K

■ Aluminum


IP 65 CRI 80  
 AC220-240V 30,000h



● 541113 13W 3000K

■ Aluminum

IP 65 CRI 80  
 AC220-240V 30,000h



● 541114 13W 3000K

■ Aluminum

IP 65 CRI 80  
 AC220-240V 30,000h

## Blue Sky Series Family Products


● 541079





LED Bollard Luminaire


## Raindrop



● 521311 8.5W 3000K 550lm

■ Aluminum

IP 65 CRI 85 60°  
AC100-240V 30,000h




● 521312 8.5W 3000K 550lm

■ Aluminum

IP 65 CRI 85 60°  
AC100-240V 30,000h

LED Bollard Luminaire

## Beings



● 521313 13W 3000K 550lm

■ Aluminum

IP 65 CRI 85 140°  
AC100-240V 30,000h




● 521314 13W 3000K 550lm

■ Aluminum

IP 65 CRI 85 140°  
AC100-240V 30,000h

LED Bollard Luminaire

## Glowing



● 521315 8W 3000K 700lm


■ Aluminum

IP 65 CRI 95  $\angle$  100°  
AC100-240V 30,000h



LED Bollard Luminaire

## Avant




● 521316 7W 3000K 200lm

■ Aluminum

IP 54 CRI 95  $\angle$  70°  
AC100-240V 30,000h



# Idyll




● 521318 8.5W 3000K 385lm

■ Aluminum

IP 65 CRI 85  $\nabla$  70°

AC100-240V  $\odot$  30,000h



● 521319 8.5W 3000K 385lm

■ Aluminum

IP 65 CRI 85  $\nabla$  70°

AC100-240V  $\odot$  30,000h


## Idyll Series Family Products

● 521317






# Mushroom



● 521321 12.5W 3000K 600lm

■ Aluminum

IP 65 CRI 85  $\nabla$  120°  
AC100-240V ⌚ 30,000h



● 521322 12.5W 3000K 600lm

■ Aluminum

IP 65 CRI 85  $\nabla$  120°  
AC100-240V ⌚ 30,000h

## Mushroom Series Family Products

LED Wall Luminaire


● 521320





LED Bollard Luminaire

## Autumn





● 521323 12.5W 3000K 445lm

■ Aluminum

IP 65 CRI 85  $\angle$  100°  
 □ AC100-240V ⌚ 30,000h

LED Bollard Luminaire


## Knoll



● 521329 13W 3000K 590lm

■ Aluminum

IP 65 CRI 85  $\angle$  180°  
 □ AC100-240V ⌚ 30,000h




● 521330 13W 3000K 590lm


■ Aluminum

IP 65 CRI 85  $\angle$  180°  
 □ AC100-240V ⌚ 30,000h


## Plateau



● 521324 12.5W 3000K 790lm  
 ■ Aluminum  
 IP 65 CRI 85 180°  
 AC100-240V 30,000h




● 521325 12.5W 3000K 790lm  
 ■ Aluminum  
 IP 65 CRI 85 180°  
 AC100-240V 30,000h



● 521327 13W 3000K 220lm  
 ■ Aluminum  
 IP 54 CRI 85 140°  
 AC100-240V 30,000h

## Fairy Ring




● 521326 12.5W 3000K 790lm  
 ■ Aluminum  
 IP 65 CRI 85 180°  
 AC100-240V 30,000h




● 521328 13W 3000K 220lm  
 ■ Aluminum  
 IP 54 CRI 85 140°  
 AC100-240V 30,000h




# Moonlight



● 541162 20W 3000K 470lm  $\nabla$  260° ■ Aluminum  
 IP 65 CRI 85  
 □ AC100-240V ⌚ 30,000h



● 541163 20W 3000K 550lm  $\nabla$  270° ■ Aluminum  
 IP 65 CRI 85  
 □ AC100-240V ⌚ 30,000h



● 541164 20W 3000K 570lm  $\nabla$  280° ■ Aluminum  
 IP 65 CRI 85  
 □ AC100-240V ⌚ 30,000h

## Moonlight Series Family Products


### LED Wall Luminaire

● 541165






# Changing



- 541169 11W 3000K 740lm
- 541170 11W 4000K 800lm

■ Aluminum  
 IP 65 CRI 85  $\nabla$  60°\*2  
 AC100-240V 30,000h



- 541171 11W 3000K 740lm
- 541172 11W 4000K 800lm

■ Aluminum  
 IP 65 CRI 85  $\nabla$  60°\*2  
 AC100-240V 30,000h



- 541173 11W 3000K 740lm
- 541174 11W 4000K 800lm

■ Aluminum  
 IP 65 CRI 85  $\nabla$  60°\*2  
 AC100-240V 30,000h


## Changing Series Family Products

- 541175
- 541176





# Winter



● 541187 13W 3000K 250lm

■ Aluminum

IP 65 CRI 85 107°

AC100-240V 30,000h



● 541188 13W 3000K 250lm

■ Aluminum

IP 65 CRI 85 107°

AC100-240V 30,000h



● 541189 13W 3000K 250lm


■ Aluminum

IP 65 CRI 85 107°


AC100-240V 30,000h




# SkyEye



● 541192 7W 3000K 270lm ■ Aluminum  
 IP 54 CRI 85 120°  
 AC100-240V 30,000h



● 541193 7W 3000K 270lm ■ Aluminum  
 IP 54 CRI 85 120°  
 AC100-240V 30,000h



● 541194 7W 3000K 270lm ■ Aluminum  
 IP 54 CRI 85 120°  
 AC100-240V 30,000h

## SkyEye Series Family Products

### LED Wall Luminaire

● 541195






Beyond Light,  
To the last details




# Coastal-R



● 541031 Max.25W

■ Aluminum


IP 44      ⊃ E27  
 ⏏ AC220-240V



● 541032 Max.25W

■ Aluminum

IP 44      ⊃ E27  
 ⏏ AC220-240V



● 541033 Max.25W

■ Aluminum

IP 44      ⊃ E27  
 ⏏ AC220-240V


## Coastal-R Series Family Products

### Wall Luminaire




● 541034

# Bliss




- 541035 Max.25W
- 541039 Max.25W

■ Aluminum  
 IP 44  
 □ AC220-240V  
 ⊥ E27



- 541036 Max.25W
- 541040 Max.25W

■ Aluminum  
 IP 44  
 □ AC220-240V  
 ⊥ E27



- 541037 Max.25W
- 541041 Max.25W

■ Aluminum  
 IP 44  
 □ AC220-240V  
 ⊥ E27


## Bliss Series Family Products

### Wall Luminaire

- 541038
- 541042




# Coastal-S




- 541047 Max.25W

■ Aluminum  
 IP 44  
 □ AC220-240V  
 ⊥ E27



- 541048 Max.25W

■ Aluminum  
 IP 44  
 □ AC220-240V  
 ⊥ E27



- 541049 Max.25W

■ Aluminum  
 IP 44  
 □ AC220-240V  
 ⊥ E27

## Coastal-S Series Family Products


### Wall Luminaire

- 541050





# Symphony



● 541116 Max.23W

■ Aluminum

IP 44  
AC220-240V

⊥ E27




● 541117 Max.23W

■ Aluminum

IP 44  
AC220-240V

⊥ E27



● 541118 Max.23W

■ Aluminum

IP 44  
AC220-240V

⊥ E27

## Symphony Series Family Products


### Wall Luminaire

● 541119






# Serein



● 541120 Max.25W

■ Aluminum


IP 44      ≡ E27  
 ⏏ AC220-240V



● 541121 Max.25W

■ Aluminum

IP 44      ≡ E27  
 ⏏ AC220-240V



● 541122 Max.25W

■ Aluminum

IP 44      ≡ E27  
 ⏏ AC220-240V

## Serein Series Family Products

### Wall Luminaire

● 541123





Bollard Luminaire

## Planet




● 671273 Max. 18W

■ Aluminum

IP 54 ⌊ E27  
⌋ AC220-240V

Bollard Luminaire


## Starry Night



● 614367 Max.9W

■ Aluminum+Glass

IP 54 ⌊ GU10  
⌋ AC220-240V




● 614368 Max.9W

■ Aluminum+Glass

IP 54 ⌊ GU10  
⌋ AC220-240V

# Aurora



● 614227 Max.9W

■ Aluminum

IP 54 ⚡ GU10  
⚡ AC220-240V

## Aurora Series Family Products

Wall Luminaire

● 614226





# Ocean

● 541054 Max.8W

■ Aluminum  
 IP 44 ⚡ GX53  
 ⚡ AC220-240V

● 541051 Max.8W

■ Aluminum  
 IP 44 ⚡ GX53  
 ⚡ AC220-240V

● 541052 Max.8W

■ Aluminum  
 IP 44 ⚡ GX53  
 ⚡ AC220-240V

## Ocean Series Family Products

### Wall Luminaire

● 541053



# Echo

● 541058 Max.8W

■ Aluminum

IP 44    ⚡ GX53  
 ⚡ AC220-240V

● 541055 Max.8W

■ Aluminum

IP 44    ⚡ GX53  
 ⚡ AC220-240V

● 541056 Max.8W

■ Aluminum

IP 44    ⚡ GX53  
 ⚡ AC220-240V


## Echo Series Family Products

Wall Luminaire

● 541057



# Oasis



● 541157 Max.23W



● 541158 Max.23W



● 541159 Max.23W

- Aluminum
- IP 44    ⊥ E27
- ⏏ AC220-240V



## Oasis Series Family Products

### Wall Luminaire



- 541160
- 541161


# Celestial



● 614365 Max.9W

■ Aluminum+Glass

IP 54 ⚡ GU10  
⏚ AC220-240V



● 614366 Max.9W


■ Aluminum+Glass

IP 54 ⚡ GU10  
⏚ AC220-240V



Bollard Luminaire

## Healer-S



● 614267 Max.18W

■ Aluminum

IP 44

⊔ E27

⚡ AC220-240V

### Healer-S Series Family Products

Wall Luminaire

● 614266






# Healer-R



● 671274 Max.18W

■ Aluminum

IP 54 ⚡ E27  
 ⚡ AC220-240V



● 671275 Max.18W

■ Aluminum

IP 54 ⚡ E27  
 ⚡ AC220-240V

## Healer-R Series Family Products


### Wall Luminaire

● 671270





# Dream



■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V



■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V





Fence Luminaire

Fence Luminaire

## Creek

## Mirror





● 541092 Max.25W

■ Aluminum

IP 44 ⚡ E27

🔌 AC220-240V




● 612091 8.5W 3000K 396lm

■ Aluminum

IP 65 CRI 80 📐 111°

🔌 AC220-240V ⌚ 50,000h


# Charm-R



● 521298 Max.18W

■ Aluminum+ADC12


IP 54 ⚡ E27  
⚡ AC220-240V



● 521299 Max.18W

■ Aluminum+ADC12

IP 54 ⚡ E27  
⚡ AC220-240V



● 521300 Max.18W

■ Aluminum+ADC12

IP 54 ⚡ E27  
⚡ AC220-240V






## Projector Series

- LED Projector Luminaire
- Projector Luminaire
- LED Surface-Mounted Luminaire
- LED Spike Luminaire
- LED Spike Projector Luminaire
- Surface-Mounted Luminaire
- Spike Projector Luminaire




LED Projector Luminaire



● 615369 9W 3000K 185lm

■ Aluminum+Glass


IP 66 1° CRI 85  
AC220-240V



● 615351 Max.9W MR11

■ Aluminum

IP 65  
AC220-240V




● 615352 Max.9W GU10

■ Aluminum

IP 65  
AC220-240V




Projector Luminaire



● 615353 5.5W 3000K 230lm

■ Aluminum+Glass


IP 65 24° CRI 85  
AC220-240V



● 615354 10W 3000K 550lm

■ Aluminum+Glass

IP 65 24° CRI 85  
AC220-240V



● 615355 15W 3000K 950lm

■ Aluminum+Glass

IP 65 24° CRI 85  
AC220-240V



# Saturn



● 671278 Max. 9W

■ Aluminum

IP 65 ⚡ GU10

🔌 AC220-240V

# Mars



● 521280 Max. 9W


■ Aluminum

IP 54 ⚡ GU10


🔄 AC220-240V



LED Surface-Mounted Luminaire




- 5101825 3W 3000K ■ Aluminum
- 5101826 3W 4000K IP65 24°  
DC24V CRI95



- 5101828 4W 3000K ■ Aluminum
- 5101829 4W 4000K IP65 24°  
DC24V CRI95




## Azure Lake



● 541124 13W 3000K 1000lm

■ Aluminum

IP 65 CRI 85  $\angle$  24°  
AC220-240V 30,000h



● 541127 20W 3000K 1700lm

■ Aluminum

IP 65 CRI 85  $\angle$  20°  
AC220-240V 30,000h



LED Surface-Mounted Luminaire

# Azure Lake




● 541126 13W 3000K 1000lm ■ Aluminum

IP 65 CRI 85 24°  
 AC220-240V 30,000h




● 541129 20W 3000K 1650lm ■ Aluminum

IP 65 CRI 85 20°  
 AC220-240V 30,000h




● 615520 3W 3000K 240lm ■ Stainless Steel + PC

IP 65 CRI 85 200°  
AC220-240V 30,000h



● 615521 3W 3000K 240lm ■ Stainless Steel + PC

IP 65 CRI 85 200°  
AC220-240V 30,000h



● 615522 3W 3000K 240lm ■ Stainless Steel + PC

IP 65 CRI 85 200°  
AC220-240V 30,000h



## Azure Lake



● 541125 13W 3000K 950lm ■ Aluminum

IP 65 CRI 85  $\angle$  60°  
 AC220-240V  $\odot$  30,000h




● 541128 20W 3000K 1550lm ■ Aluminum

IP 65 CRI 85  $\angle$  20°  
 AC220-240V  $\odot$  30,000h




# Artistry



● 541130 Max.20W

■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V




● 541132 Max.20W

■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V




# Neptune



● 541099 Max. 9W

■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V



● 541131 Max. 9W

■ Aluminum


IP 65 ⚡ GU10  
⏚ AC220-240V



● 612063 Max. 9W

■ Aluminum


IP 65 ⚡ GU10  
⏚ AC220-240V



● 613993 Max. 9W

■ Aluminum+ADC12

IP 65 ⚡ GU10  
⏚ AC220-240V



● 614209 Max. 9W


■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V



## In-Ground Luminaire Series


- LED In-ground Luminaire
- In-Ground Luminaire



● 615356 1W 3000K 55lm

■ Stainless Steel+Aluminum


IP 67 CRI 95  $\angle$  30°  
 AC220-240V 50,000h



● 615357 2.5W 3000K 95lm

■ Stainless Steel+Aluminum


IP 67 CRI 95  $\angle$  30°  
 AC220-240V 50,000h



● 615358 3.5W 3000K 130lm

■ Stainless Steel+Aluminum

IP 67 CRI 95  $\angle$  30°  
 AC220-240V 50,000h




- 615359 6W 3000K 230lm  $\angle$  10°
- 615360 8W 3000K 250lm  $\angle$  15°
- 615361 6W 3000K 240lm  $\angle$  30°
- 615362 10W 3000K 500lm  $\angle$  5°
- 615363 10W 3000K 400lm  $\angle$  10°

■ Stainless Steel+Aluminum

IP 67 CRI 95  
 AC220-240V 50,000h


# Star Sea



● 521301 3.5W 3000K 13lm

■ Aluminum+ADC12


IP 65 CRI 80  $\angle$  2°\*84°  
 AC100-240V 30,000h



● 521302 6W 3000K 24lm

■ Aluminum+ADC12

IP 65 CRI 80  $\angle$  2°\*84°  
 AC100-240V 30,000h




● 521303 10.5W 3000K 40lm

■ Aluminum+ADC12

IP 65 CRI 80  $\angle$  21°\*80°  
 AC100-240V 30,000h


# Seafarer



● 612163 7.5W 3000K 715lm

■ Aluminum+SS3/4


IP 67 CRI 80  $\angle$  20°  
 AC220-240V 50,000h



● 612164 15W 3000K 1338lm

■ Aluminum+SS3/4

IP 67 CRI 80  $\angle$  20°  
 AC220-240V 50,000h




● 612165 30W 3000K 2682lm

■ Aluminum+SS3/4

IP 67 CRI 80  $\angle$  20°  
 AC220-240V 50,000h


# Seafarer



● 612166 7.5W 3000K 715lm

■ Aluminum+SS3/4


IP 67 CRI 80  $\angle$  20°  
 AC220-240V 50,000h



● 612167 15W 3000K 1338lm

■ Aluminum+SS3/4

IP 67 CRI 80  $\angle$  20°  
 AC220-240V 50,000h




● 612168 30W 3000K 2682lm

■ Aluminum+SS3/4

IP 67 CRI 80  $\angle$  20°  
 AC220-240V 50,000h


# Luminosity



● 612169 7.5W 3000K 500lm

■ Aluminum+SS3/4


IP 67 CRI 80  $\nabla$  15°  
 AC220-240V 50,000h



● 612170 17W 3000K 1385lm

■ Aluminum+SS3/4

IP 67 CRI 80  $\nabla$  15°  
 AC220-240V 50,000h




● 612171 27.5W 3000K 2437lm

■ Aluminum+SS3/4

IP 67 CRI 80  $\nabla$  15°  
 AC220-240V 50,000h


# Luminosity



● 612172 7.5W 3000K 500lm

■ Aluminum+SS3/4


IP 67 CRI 80  $\nabla$  15°  
 AC220-240V 50,000h



● 612173 17W 3000K 1385lm

■ Aluminum+SS3/4

IP 67 CRI 80  $\nabla$  15°  
 AC220-240V 50,000h




● 612174 27.5W 3000K 2437lm

■ Aluminum+SS3/4

IP 67 CRI 80  $\nabla$  15°  
 AC220-240V 50,000h

# Nebula




- 521201 2.5W 3000K 160lm 30°
- 521306 2.5W 3000K 130lm 30°
- 521307 2.5W 3000K 230lm 70°

■ Aluminum

IP 67 CRI 80

AC100-240V 30,000h



- 614225 3W 2700K 163lm

■ Aluminum

IP 67 CRI 80 25°

AC220-240V 30,000h




# Nebula



- 521334 2.5W 3000K 160lm ▽ 30°
- 521335 2.5W 3000K 110lm ▽ 70°

■ Aluminum  
 IP 67 CRI 90  
 AC220-240V ⏱ 30,000h

Accessories



● 521336

● 521337



● 521338

# Nebula




● 615835 3.5W 3000K  $\nabla$  30° ■ Aluminum  
 IP 67 CRI 95  
 □ AC220-240V ⏱ 50,000h


## Accessories





● 615837  
 ■ Stainless Steel




● 615838  
 ■ Aluminum+Acrylic Glass




● 615839  
 ■ Aluminum+Acrylic Glass



● 615840  
 ■ Aluminum+Acrylic Glass



● 615841  
 ■ Acrylic Glass



● 615842  
 ■ Aluminum+Acrylic Glass





● 615843  
 ■ Acrylic Glass

# Nebula




● 615844 6W 3000K 60° ■ Aluminum  
 IP 67 CRI 95  
 AC220-240V 50,000h


## Accessories




● 615846  
 ■ Stainless Steel




● 615847  
 ■ Aluminum+Acrylic Glass




● 615848  
 ■ Aluminum+Acrylic Glass



● 615849  
 ■ Aluminum+Acrylic Glass




● 615850  
 ■ Acrylic Glass




● 615851  
 ■ Aluminum+Acrylic Glass




● 615852  
 ■ Acrylic Glass






# Nebula



- 521304 1.6W 3000K 75lm ∟ 32°
- 521305 1.6W 3000K 35lm ∟ 70°
- 521098 1.6W 3000K 100lm ∟ 32°
- 521129 1.6W 3000K 28lm ∟ 32°
- 521125 1.6W 3000K 100lm ∟ 32°

■ Aluminum  
 IP 67 CRI 80  
 AC100-240V ⚡ 30,000h


# Meteor



- 521202 2.5W 3000K 73lm **▼** 57°\*236°
- 521203 2.5W 3000K 80lm **▼** 13°\*63°

■ Aluminum


**IP 67 CRI 80**  
 ⚡ AC100-240V ⌚ 30,000h



- 521231 2.5W 3000K 15lm **▼** 13°\*63°
- 521232 2.5W 5700K 80lm **▼** 13°\*63°

■ Aluminum

**IP 67 CRI 80**  
 ⚡ AC100-240V ⌚ 30,000h




- 521236 2.5W 3000K 33lm **▼** 18°\*90°


■ Aluminum

**IP 67 CRI 80**  
 ⚡ AC100-240V ⌚ 30,000h


# Milky Way




● 612513 4.4W 3000K 238lm  
 ■ Aluminum  
 IP 65 CRI 80  $\angle$  33°  
 AC220-240V 50,000h



● 612517 8W 3000K 715lm  
 ■ Aluminum  
 IP 65 CRI 80  $\angle$  21°  
 AC220-240V 50,000h




● 612514 4.4W 3000K 302lm  
 ■ Aluminum  
 IP 65 CRI 80  $\angle$  21°  
 AC220-240V 50,000h




● 612518 8W 3000K 715lm  
 ■ Aluminum  
 IP 65 CRI 80  $\angle$  21°  
 AC220-240V 50,000h


# Comet




● 612515 3.4W 3000K 79lm  
 ■ Aluminum  
 IP 65 CRI 80  $\angle$  70°  
 AC220-240V 50,000h



● 612519 8.2W 3000K 468lm  
 ■ Aluminum  
 IP 65 CRI 80  $\angle$  65°  
 AC220-240V 50,000h




● 612516 3W 3000K 37lm  
 ■ Aluminum  
 IP 65 CRI 80  $\angle$  89°  
 AC220-240V 50,000h



● 612520 5.4W 3000K 89lm  
 ■ Aluminum  
 IP 65 CRI 80  $\angle$  92°  
 AC220-240V 50,000h


# Comet



● 615570 36W 3000K 2500lm

■ Stainless steel + Aluminum


IP 67 CRI 85  $\nabla$  24°  
 ⚡ AC220-240V ⌚ 50,000h



● 615571 18W 3000K 1200lm

■ Stainless steel + Aluminum

IP 67 CRI 85  $\nabla$  24°  
 ⚡ AC220-240V ⌚ 50,000h




● 615572 10W 3000K 800lm

■ Stainless steel + Aluminum

IP 67 CRI 85  $\nabla$  24°  
 ⚡ AC220-240V ⌚ 50,000h




# Comet



● 615858 18W 3000K 1380lm

■ Aluminum


IP 67 CRI 95 24°x24°  
 AC220-240V 50,000h



● 615859 36W 3000K 2750lm

■ Aluminum

IP 67 CRI 95 24°x24°  
 AC220-240V 50,000h





LED In-ground Luminaire

# Comet





● 615860 5W 3000K 450lm

■ Aluminum

IP 67 CRI 85  $\angle$  120°

⏻ DC 24V ⌚ 50,000h




● 615861 10W 3000K 900lm


■ Aluminum

IP 67 CRI 85  $\angle$  120°

⏻ DC 24V ⌚ 50,000h




# Comet



● 615708 10W 3000K 300lm

■ Stainless steel + Aluminum


IP 67 CRI 85  $\angle$  70°  
 AC220-240V 50,000h



● 615709 18W 3000K 700lm

■ Stainless steel + Aluminum

IP 67 CRI 85  $\angle$  70°  
 AC220-240V 50,000h





● 615710 36W 3000K 1200lm

■ Stainless steel + Aluminum

IP 67 CRI 85  $\angle$  70°  
 AC220-240V 50,000h



# Comet



● 615566 36W 3000K 1200lm

■ Aluminum



IP 67 CRI 85  $\angle$  20°x30°  
 AC220-240V 50,000h



● 615567 18W 3000K 500lm

■ Aluminum

IP 67 CRI 85  $\angle$  20°x30°  
 AC220-240V 50,000h




● 615568 12W 3000K 300lm

■ Aluminum

IP 67 CRI 85  $\angle$  20°x30°  
 AC220-240V 50,000h


# Supernova



● 613232 Max.9W

■ Stainless Steel  
+Die Casting Aluminum

IP 65    ⊥ MR11 GU10  
⏏ AC220-240V




● 613233 Max.9W

■ Stainless Steel  
+Die Casting Aluminum

IP 65    ⊥ MR11 GU10  
⏏ AC220-240V



# Nightfall





● 612175 Max.9W

■ Aluminum+SS304

IP 65    ⊥ GU10  
⏏ AC220-240V

Accessory



● 521340

■ Stainless Steel




## Solar Light

- LED Solar Street Light Luminaire
- LED Solar Surface-Mounted Luminaire
- LED Solar Bollard Luminaire
- LED Solar Spike Luminaire
- LED Solar Wall Luminaire
- LED Solar Flood Light Luminaire



LED Solar Street Light Luminaire

# Sunbeam



- 613347 6W 3000K 800lm
- 613348 6W 4000K 850lm
- 613349 8.5W 3000K 850lm
- 613350 8.5W 4000K 900lm

■ ABS+PC

IP 65 CRI 80  $\nabla$  110°  
 □ AC220-240V ⌚ 35,000h

LED Solar Street Light Luminaire

# Sunlit



- 613342 8W 3000K 800lm
- 613343 8W 4000K 850lm
- 613344 15W 3000K 1600lm
- 613345 15W 4000K 1650lm
- 613346 40W 4000K 4800lm

■ ABS+PC

IP 65 CRI 80  $\nabla$  110°  
 □ AC220-240V ⌚ 35,000h




LED Solar Surface-Mounted Luminaire

LED Solar Surface-Mounted Luminaire

## Sunshine

## SunBreeze




● 614214 4.5W 3000K/4000K 350lm

■ Aluminum+PC

IP 65 CRI 80 120°


DC5V 35,000h

Tube



● 614217

■ Aluminum+PC



● 614215 4.5W 3000K/4000K 250lm

■ Aluminum+PC

IP 65 CRI 80 180°

DC5V 35,000h

Tube



● 614217

■ Aluminum+PC



LED Solar Bollard Luminaire

# Galaxy



● 614216 4.5W 3000K/4000K 250lm ■ Aluminum+PC


IP 65 CRI 80  $\angle$  180°  
 □ DC5V ⌚ 35,000h

Tube



● 614218 ■ Aluminum+PC

# Rays



● 614364 2W 3000K 200lm

■ PC+ABS

IP 65 CRI 80  $\angle$  80°

⏻ 4.5V ⌚ 15,000h



● 614788 2W 3000K 180lm

■ PC

IP 65 CRI 80  $\angle$  30°

⏻ 5.5V ⌚ 15,000h




● 614789 2W 3000K 60lm

■ PC

IP 54 CRI 80  $\angle$  200°


⏻ 5.5V ⌚ 15,000h

# Rays




- 614793 3W 3000K 300lm
- ABS+PC
- IP 54 CRI 85 110°
- 5V 15,000h


## Accessories



- 614794 ■ ABS+Iron




- 614795 ■ ABS+PC



- 614796 ■ ABS

# Rays




● 614783 4W 3000K 300lm

■ ABS +PC

IP 54 CRI 80  $\angle$  120°

⚡ 5V ⌚ 15,000H




● 614784 1W 3000K 36lm

■ ABS+PC+Glass


IP 54 CRI 80  $\angle$  90°

⚡ 5V ⌚ 15,000H

## Accessories




● 614791



● 614792

# Rays



● 614786 1W 3000K 50lm

■ Aluminum+PC

IP 54 CRI 80  $\angle$  200°

⚡ 5V ⌚ 15,000H




● 614787 1W 3000K 36lm

■ Aluminum+PC

IP 54 CRI 80  $\angle$  160°

⚡ 5V ⌚ 15,000H



● 614790 3W 3000K 225lm


■ Aluminum+PC

IP 54 CRI 80  $\angle$  120°


⚡ 5V ⌚ 15,000H



# Rays



- 615875 1.5W 3000K 65lm
- ABS+PMMA
- IP 65 CRI 85  $\angle$  80°
- ☞ 5V ⌚ 15,000h




- 615876 6W 3000K 850lm
- Plastic+ABS
- IP 65 CRI 85  $\angle$  120°
- ☞ 5V ⌚ 15,000h



LED Solar Flood Light Luminaire

# Star



- 613158 5W 3000K 1120lm
  - 613159 5W 4000K 1160lm
  - 613160 5W 6000K 1210lm
- Aluminum+Silicon
  - IP 65 CRI 80 60°
  - AC220-240V 30,000h



Contact Us

[global@illuslighting.com](mailto:global@illuslighting.com)

[www.illuslighting.com](http://www.illuslighting.com)

Find us in KSA, UAE, Oman, Kuwait, Qatar, Egypt, Spain, Bahrain, China.