



The suitable light for general lighting applications

LED RECESSED LUMINAIRE SERIES

PRODUCT INFORMATION

- Suitable for a series of lighting applications in office, retail and general area lighting.
- Available in a wide variety of lumen packs, cut out size and color temperature.
- ILLUS LED RECESSED Luminaire gives the customer the flexibility to choose between 9 models based on their specific need with lumen package from 195 lm to 1050 lm.

BENEFITS

- Compact design for better integration with the building.
- Comfortable light with high efficiency.
- Reliable performance for indoor applications.

FEATURES

- High CRI>90.
- Efficacy up to 84lm/w.
- Long life span 30,000 hrs.
- Operating voltage AC220 – 240V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center



TECHNICAL OPERATING & ELECTRICAL DATA

IP Ratings	IP20
Body Color	White+Grey
Body Material	Die Casting Aluminum
Lumen	from 195 to 1050lm/M+/-10%
Voltage	AC220-240V
Frequency	50/60Hz
Mounting Type	Recessed in Ceiling
Dimming	Non-Dimmable
Lamp Type	Direct
Fixed or Adjustable	Fixed
Life Span	30000hrs



SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Lumen	CCT	Beam Angle
613497	ILS3MDL930WW01	3W	195lm	65lm/w	3000K	25°
613498	ILS3MDL940NW01	3W	205lm	68.33lm/w	4000K	25°
613499	ILS3MDL950DL01	3W	220lm	73.33lm/w	5000K	25°
613503	ILS8MDL930WW01	8W	570lm	71.25lm/w	3000K	24°
613504	ILS8MDL940NW01	8W	590lm	73.75lm/w	4000K	24°
613505	ILS8MDL950DL01	8W	620lm	77.5lm/w	5000K	24°
613506	ILS12.5MDL930WW01	12.5W	970lm	77.6lm/w	3000K	24°
613507	ILS12.5MDL940NW01	12.5W	1000lm	80lm/w	4000K	24°
613508	ILS12.5MDL950DL01	12.5W	1050lm	84lm/w	5000K	24°

ACCESSORIES


Code No.	Model No.	Body Color	Body Material
613513	ILS3REFMDLB01	black	PC
613514	ILS3REFMDLRG01	rose gold	PC
613515	ILS3REFMDLGB01	gun black	PC
613516	ILS3REFMDLW01	white	PC
613521	ILS8REFMDLB01	black	PC
613522	ILS8REFMDLRG01	rose gold	PC
613523	ILS8REFMDLGB01	gun black	PC
613524	ILS8REFMDLW01	white	PC
613525	ILS12REFMDLB01	black	PC
613526	ILS12REFMDLRG01	rose gold	PC
613527	ILS12REFMDLGB01	gun black	PC
613528	ILS12REFMDLW01	white	aluminum
613530	ILS3FRMMDLB01	black	aluminum
613532	ILS8FRMMDLB01	black	aluminum
613533	ILS12FRMMDLB01	black	aluminum
613536	ILS3LEN15MDL01	transparent	PMMA
613537	ILS3LEN50MDL01	transparent	PMMA
613540	ILS8LEN45MDL01	transparent	PMMA
613541	ILS12LEN15MDL01	transparent	PMMA
613542	ILS12LEN36MDL01	transparent	PMMA

DIMENSIONS




613497 - 613498 - 613499

613503 - 613504 - 613505




613506 - 613507 - 613508


ACCESSORIES DIMENSIONS




● 613513 - ● 613514 - ● 613515 - ● 613516 - Reflector




● 613521 - ● 613522 - ● 613523 - ● 613524 - Reflector




● 613525 - ● 613526 - ● 613527 - ● 613528 - Reflector




613530 - Frame




613532 - Frame




613533 - Frame



613536 - 613537 - Lens



613540 - Lens



613541 - 613542 - Lens



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED RECESSED LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

