illus
ILLUMINATION

BEYOND LIGHT..
TO THE LAST DETAILS!

Outdoor

2026 Catalogue


We strive to be
the leader in the industry
and the world's most
respected lighting solution
provider.

ILLUS Lighting

ILLUS dedicates itself to provide human oriented architectural lighting solution and products for indoor and outdoor applications. A truly innovative company, ILLUS has always been at the forefront of professional office lighting since inception. Since then ILLUS continues developing innovative, custom lighting solutions that meet extremely exacting requirements in terms of ergonomics, economic efficiency and environmental compatibility and also deliver aesthetic added value to our customers. Our customers will always find that our solutions reflect the requirements satisfying a broad range of customer needs for every lighting application ILLUS is a brand that helps revealing the beauty around you where it constitutes of products and solutions designed with care and attention to detail giving professional quality products.
Our goal has always been to offer our customers a first-class product backed by unparalleled service, focused on solving our client's illumination challenges.

Our Vision

In ILLUS every detail created with enthusiasm constantly evolving technology to simplify the life of people. We consistently innovate and devote to decrease power consumption to ease the burden of earth. Light is essential for people's life quality and well-being, we care for every situation people need artificial light whenever light serves. ILLUS lighting is beyond light, to the last details.



Where to find us

Kingdom of Saudi Arabia-Head Office
3533 Al Kharj Rd, Al Aziziyah, Riyadh 14511
https://maps.app.goo.gl/TRgDmL4efaDRzWWL8

China – illus
Star Alliance, No.68 Zhongxing Avenue, Guzhen, Zhongshan,Guangdong, China
https://maps.app.goo.gl/cJJefWvYRyfzAQjq8

Spain – illus
46970 Alaquàs, Valencia, Spain
https://goo.gl/maps/C5DejH52sP17L2Nv9

UAE – Build Station
75 6th St - Al Quoz - Dubai - United Arab Emirates
https://goo.gl/maps/LCTSSYSqEB2mcAbA8


Kingdom of Bahrain
7J3Q+R36, Arad, Bahrain
https://maps.app.goo.gl/e2wceYwDusneptxs7

Qatar – Build Station
Zone 43, Street 340, Salwa Rd, Doha, Qatar
https://maps.app.goo.gl/hQY8PbFDPbXKYiqJ6

Oman – Build Station
18 November Street 411 Muscat, Al Aziba, 130, Oman
https://goo.gl/maps/6tJLBVdhiVPvUE1w7

Kuwait –Lighting Stores
No 4, Opposite the city center entrance, 142 8 St, Shuwaikh Industrial, Kuwait
Lighting Stores - Google Maps


Egypt -illus
13 El Obour Blgds. Salah Salem – Masr El-Gedida - Cairo
30° 04'40.0"N 31° 18'36.7"E - Google Maps



R&D and Manufacturing


Manufacturing

ILLUS has two directly-operated production bases in Yangzhou covering an area of 25,000 square meters and 300 staffs. The production bases contain over 30 hi-speed automatic encapsulation lines, 15 automatic SMD and applied welding lines, 5 automatic extrusion lines and 6 automatic luminaire production lines, characterizing a complete production process for LED strip inclusive of LED encapsulation, hi-speed SMT, automatic welding and full series of water resistance with average monthly production capacity of LED strips reaching up to 1.5 million meters. Besides, ILLUS modernized manufacturing factory to achieve a complete production process for linear luminaire inclusive of precision machining, automatic assembly, color spraying and free customization with average monthly production capacity reaching up to 120,000 strips in order to assure customers of high-quality, super cost-effective products and rapid delivery.



R&D

ILLUS has established a R&D expert team composed of over 50 core technicians, a majority of which graduated from top-rated universities and are proficient in such fields as optics, technique, material science, electrics, thermal physics, intelligent control and industrial design with more than 10years R&D experience and technical know-how in linear lighting.



Laboratory & Inspection

Laboratory of ILLUS, covering an area of 460 square meters, was outfitted with 48 sets of equipment which was distributed as per safety zone, EMC zone, photoelectric zone, IP water resistance zone, aging zone and product reliability zone. Inspection covers products inclusive of LED strip, neon strip, linear luminaire, power supply and related accessories, with inspection standard ranging from safety, EMC, performance to product reliability. Testing reports can be tracked all the way from product design evaluation period to type approval period to guarantee quality of products.



Patent

ILLUS strives to R&D in product and technology. So far, it has gained 3 invention patents and nearly 100 utility model patents and appearance patents.

Contents

LED Wall & Wall Luminaire

- LED Wall Luminaire
- LED Surface Mounted Luminaire
- LED Recessed Luminaire
- LED Flood Luminaire
- Surface Mounted Luminaire
- Recessed Step Light

LED Bollard & Bollard Luminaire

- LED Bollard Luminaire
- Bollard Luminaire

Projector Series

- LED Surface-Mounted Luminaire
- LED Spike Luminaire
- LED Spike Projector Luminaire
- Surface-Mounted Luminaire
- Spike Projector Luminaire

In-Ground Luminaire Series

- LED In-ground Luminaire
- In-Ground Luminaire

Solar Light

- LED Solar Surface-Mounted Luminaire
- LED Solar Bollard Luminaire

BEYOND LIGHT..

TO THE LAST DETAILS!

Outdoor Lighting


- Surface Frames
- LED Wall & Wall Luminaire
- LED Bollard & Bollard Luminaire
- Projector Series
- In-Ground Luminaire Series
- Solar Light

LED Wall & Wall Luminaire


- LED Wall Luminaire
- LED Surface Mounted Luminaire
- LED Recessed Luminaire
- LED Flood Luminaire
- Surface Mounted Luminaire
- Recessed Step Light

LED Wall Luminaire

Marvel








● 611321 7W 3000K 176lm

■ Aluminum

IP 54 CRI 80 °110
AC220-240V 50,000h







● 611322 7W 3000K 186lm

■ Aluminum

IP 54 CRI 80 °110
AC220-240V 50,000h


LED Wall Luminaire

Silverlake










○ 611324 10W 3000K 718lm
● 611323 10W 3000K 485lm

■ Aluminum

IP 54 CRI 80 °110
AC220-240V 50,000h







○ 611326 10W 3000K 718lm
● 611325 10W 3000K 396lm


■ Aluminum

IP 54 CRI 80 °110
AC220-240V 50,000h

LED Wall Luminaire


Changing





- 541175 11W 3000K 740lm
- 541176 11W 4000K 800lm

■ Aluminum IP 65 CRI 85 60°*2
AC220-240V 30,000h




LED Wall Luminaire

SkyEye







- 541195 7W 3000K 270lm

■ Aluminum IP 65 CRI 85 °120
AC220-240V 30,000h

Changing Series Family Products

LED Bollard Luminaire



- 541169
- 541170



- 541171
- 541172



- 541173
- 541174

SkyEye Series Family Products

LED Bollard Luminaire



- 541192



- 541193




- 541194

LED Wall Luminaire

Radiance







● 541182 13W 3000K 960lm
● 541183 13W 4000K 1040lm

■ Aluminum


IP 65 CRI 85 110°*2
AC220-240V 30,000h

LED Wall Luminaire

Spin







● 541184 13W 3000K 370lm

■ Aluminum


IP 65 CRI 85 °280
AC220-240V 30,000h

LED Wall Luminaire

Poetry







● 541185 13W 3000K 1000lm
● 541186 13W 4000K 1050lm

■ Aluminum


IP 65 CRI 85 °120
AC220-240V 30,000h

LED Wall Luminaire

Cube








● 541190 13W 3000K 250lm
● 541191 13W 4000K 250lm

■ Aluminum

IP 65 CRI 85 °107
AC220-240V 30,000h

Art





●	541196	13W	3000K	490lm
●	541197	13W	4000K	520lm


■ Aluminum

IP 65 CRI 85 °140
AC220-240V 30,000h



Splendor






●	541180	13W	3000K	770lm
●	541181	13W	4000K	820lm

■ Aluminum

IP 65 CRI 85 °90
AC220-240V 30,000h

Lullaby






● 541177 13W 3000K 700lm
● 541178 13W 4000K 750lm

■ Aluminum

IP 65 CRI 85 °220
AC220-240V 30,000h

Fable





● 541179 7W 3000K 530lm


■ Aluminum

IP 65 CRI 85 °100
AC220-240V 30,000h

LED Wall Luminaire

Moonlight





● 541165 20W 3000K 900lm

■ Aluminum IP 65 CRI 85 °160 AC220-240V 30,000h

Moonlight Series Family Products

LED Bollard Luminaire



● 541162



● 541163




● 541164



Daybreak






● 541166 13W 3000K 600lm

■ Aluminum

IP 65 CRI 85 °115
AC220-240V 30,000h






● 541167 20W 3000K 950lm

■ Aluminum

IP 65 CRI 85 °130
AC220-240V 30,000h





● 541168 30W 3000K 1500lm

■ Aluminum


IP 65 CRI 85 °130
AC220-240V 30,000h

Wall Luminaire

Lane Shine







● 614191 Max.9W

■ Aluminum+Glass

IP 54 GX53

AC220-240V




Wall Luminaire

Warm Sun







● 614192 Max.9W


■ Aluminum+Glass

IP 54 GX53

AC220-240V

Wall Luminaire

Valse-R




● 614194 Max.9W

■ Aluminum+Glass

IP 54 MR11/GU10

AC220-240V




● 614195 Max.9W

■ Aluminum+Glass

IP 54 MR11/GU10

AC220-240V

Valse-A



● 614196 Max.9W

■ Aluminum+Glass

IP 54 MR11/GU10

AC220-240V



● 614197 Max.9W

■ Aluminum+Glass


IP 54 MR11/GU10

AC220-240V



Cloud






● 614198 Max.9W

■ Aluminum+Glass

IP 54 MR11/GU10

AC220-240V





● 614199 Max.9W

■ Aluminum+Glass


IP 54 MR11/GU10

AC220-240V



Ideal





● 614193 Max.9W

■ Aluminum+PC


IP 54 GX53

AC220-240V



Arcturus





615364 12W 3000K 350lm

Aluminum +Plastic


IP 65 CRI 85 °120

DC24V 50,000h



Rigel





615365 12W RGBW
W=3000K


Aluminum +Plastic

IP 65 °120

DC24V 50,000h


Wish





611327	8.5W	3000K	206lm	■ Aluminum+PC
611328	8.5W	6500K	206lm	
611329	8.5W	Red	400lm	
611330	8.5W	Green	206lm	
611331	8.5W	Blue	206lm	
611332	8.5W	Yellow	206lm	IP 54 CRI 80 180°*3.4
611333	8.5W	Purple	206lm	AC220-240V 50,000h






613225	8.5W	3000K	162lm	■ Aluminum+PC
613226	8.5W	5700K	196lm	
613227	8.5W	Red	41lm	
613228	8.5W	Green	46lm	
613229	8.5W	Blue	20lm	
613230	8.5W	Purple	38lm	IP 54 CRI 80 180°*6.5
613231	8.5W	Yellow	161lm	AC220-240V 50,000h



LED Surface Mounted Luminaire

Blue Sky





● 541079 13W 3000K 940lm

■ Aluminum

IP 65 CRI 80 °119

AC220-240V 30,000h

Blue Sky Series Family Products

LED Bollard Luminaire



● 541112



● 541113




● 541114



Sparkle






● 541081 3.5W 3000K 39lm


■ Aluminum

IP 65 CRI 80 °17
AC220-240V 30,000h

Serenade








○ 541098 11W 3000K 660lm
● 541094 13W 3000K 660lm

■ Aluminum

IP 65 CRI 80 °122
AC220-240V 30,000h

Garden





● 541115 4.5W 3000K 874lm


■ Aluminum

IP 54 CRI 80 °117
AC220-240V 30,000h



Endless







● 541086 10W 3000K 313lm

■ Aluminum

IP 54 CRI 80 °46
AC220-240V 30,000h





○ 541096 11W 3000K 366lm
● 541088 11W 3000K 366lm

■ Aluminum


IP 65 CRI 80 °203
AC220-240V 30,000h

LED Surface Mounted Luminaire

Riverbank








● 541133 3.5W 3000K 54lm

■ Aluminum

IP 65 CRI 80 °202
AC220-240V 30,000h


LED Surface Mounted Luminaire

Misty









○ 541061 10W 3000K 511lm
● 541060 10W 3000K 511lm

■ Aluminum


IP 65 CRI 80 °137
AC220-240V 30,000h

LED Surface Mounted Luminaire

Muse








● 541134 3.5W 3000K 272lm

■ Aluminum


IP 65 CRI 80 °60
AC220-240V 30,000h


LED Surface Mounted Luminaire

Moment









○ 541063 9W 3000K 530lm
● 541062 9W 3000K 530lm


■ Aluminum


IP 65 CRI 80 °137
AC220-240V 30,000h




LED Surface Mounted Luminaire

Whisperwind







○	541068	7W	3000K	360lm
●	541067	7W	3000K	360lm


■ Aluminum

IP 54 CRI 80 °140
AC220-240V 30,000h

LED Surface Mounted Luminaire

Midnight





○	541065	9W	3000K	258lm
●	541064	9W	3000K	258lm

■ Aluminum


IP 54 CRI 80 °263
AC220-240V 30,000h

LED Surface Mounted Luminaire

Dreamscape








○	541070	3.5W	3000K	97lm
●	541069	3.5W	3000K	97lm

■ Aluminum

IP 65 CRI 80 °72
AC220-240V 30,000h



Faraway




● 541102 13W 3000K 755lm ■ Aluminum

IP 65 CRI 80 °258
AC220-240V 30,000h




Moonlit




● 541104 7W 3000K 235lm ■ Aluminum

IP 65 CRI 80 °112
AC220-240V 30,000h




● 541105 13W 3000K 362lm ■ Aluminum

IP 65 CRI 80 °114
AC220-240V 30,000h




Velvet



● 541111 7W 3000K 169lm ■ Aluminum

IP 65 CRI 80 °218
AC220-240V 30,000h




● 541110 13W 3000K 609lm ■ Aluminum

IP 65 CRI 80 °303
AC220-240V 30,000h

Crystal






● 541106 7W 3000K 370lm

■ Aluminum

IP 65 CRI 80 °173
AC220-240V 30,000h

Moonbeam







● 541108 11W 3000K 387lm

■ Aluminum

IP 65 CRI 80 °270
AC220-240V 30,000h

Boat







● 541107 13W 3000K 698lm

■ Aluminum

IP 65 CRI 80 °111
AC220-240V 30,000h

Frost






● 541109 7W 3000K 179lm

■ Aluminum

IP 65 CRI 80 °118
AC220-240V 30,000h

Geometry






● 521007 6W 3000K 176lm

■ Aluminum

IP 54 CRI 80 °110°*5
AC100-240V 50,000h

Sky






● 521219 6W 3000K 161lm

■ Aluminum

IP 54 CRI 80 °7°*79
AC100-240V 30,000h

Sunset





● 521224 3W 3000K 99lm


■ Aluminum

IP 54 CRI 80 °70°*80
AC100-240V 30,000h

Even







○	521255	6W	3000K	300lm	°90°*97
●	521241	6W	3000K	600lm	°105°*65

■ Aluminum


IP 54 CRI 80

AC100-240V 30,000h

LED Surface Mounted Luminaire

Rainy Night





●	521267	12W	3000K	500lm	


■ Aluminum

IP 54 CRI 80 °97°*65

AC100-240V 30,000h

Soul





● 521269 10W 3000K 1020lm


■ Aluminum

IP 54 CRI 80 °30**30
AC100-240V 30,000h

MistyShine







● 521239 6W 3000K 245lm

○ 521253 6W 3000K 245lm


■ Aluminum

IP 54 CRI 80 °95°*70

AC100-240V 30,000h

Heaven





● 521265 6W 3000K 840lm

■ Aluminum


IP 54 CRI 80 °112

AC100-240V 30,000h

Wind







●	521240	6W	3000K	350lm
○	521254	6W	3000K	350lm

■ Aluminum


IP 54 CRI 80 °110°*80
AC100-240V 30,000h

LED Surface Mounted Luminaire

Simple








●	521256	12W	3000K	600lm
○	521250	12W	3000K	630lm


■ Aluminum

IP 54 CRI 80 °105°*65
AC100-240V 30,000h



Color






●	521251	12W	3000K	600lm
○	521257	12W	3000K	600lm

■ Aluminum

IP 54 CRI 80 °75°*45
AC100-240V 30,000h

Snowdrift






● 521271 12W 3000K 820lm

■ Aluminum

IP 65 CRI 80 °120
AC100-240V 30,000h

Snowdrift





● 521273 12W 3000K 860lm


■ Aluminum

IP 65 CRI 80 °120
AC100-240V 30,000h



Snowdrift





●	521275	12W	3000K	820lm
●	521276	12W	3000K	820lm


■ Aluminum

IP 65 CRI 80 °120
AC100-240V 30,000h




Snowdrift









●	521277	12W	3000K	1000lm
●	521279	12W	3000K	820lm

■ Aluminum


IP 65 CRI 80 °120
AC100-240V 30,000h



LED Surface Mounted Luminaire

Serene





● 521211 6W 3000K 300lm

■ Aluminum


IP 54 CRI 80 °80°*70
AC100-240V 30,000h

Beyond Light,
To the last details

Line







●	612297	3.5W	3000K	6lm
●	612298	3.5W	3000K	16lm


■ Die Casting Aluminum +ABS


IP 65 CRI 80

AC220-240V



Guidelines






● 521228 5W 3000K 105lm

■ Aluminum+ADC12

IP 65 CRI 80 °110
AC100-240V 30,000h






● 521227 5W 3000K 80lm

■ Aluminum+ADC12

IP 65 CRI 80 °110
AC100-240V 30,000h

Stroll






○ 521252 2W 3000K 60lm
● 521238 2W 3000K 60lm

■ Aluminum+Glass

IP 65 CRI 80 °36*63
AC100-240V 30,000h






● 521249 5W 3000K 150lm

■ Aluminum+ADC12

IP 65 CRI 80 °51
AC100-240V 30,000h

Protector





● 541089 13W 3000K 279lm

■ Aluminum

IP 65 CRI 80 °57
AC220-240V 30,000h






Surface Mounted Luminaire

Symphony





● 541119 Max.23W

■ Aluminum

IP 44 E27

AC220-240V

Symphony Series Family Products


Bollard Luminaire



● 541116 ● 541117 ● 541118

Coastal-R





● 541034 Max.25W

■ Aluminum

IP 44 E27

AC220-240V

Coastal-R Series Family Products


Bollard Luminaire



● 541031 ● 541032 ● 541033

Bliss





○ 541038 Max.25W

● 541042 Max.25W

■ Aluminum

IP 44 E27

AC220-240V

Bliss Series Family Products


Bollard Luminaire



○ 541035 ● 541039 ○ 541037 ● 541041 ○ 541036 ● 541040

Grace





● 541059 Max.8W

■ Aluminum

IP 44


E27

AC220-240V



Surface Mounted Luminaire

Echo



● 541057 Max.8W

■ Aluminum

IP 44

GX53

AC220-240V

Echo Series Family Products

Bollard Luminaire



● 541058



● 541055




● 541056



Serein





● 541123 Max.25W

■ Aluminum

IP 44 E27

AC220-240V

Serein Series Family Products

Bollard Luminaire




● 541120 ● 541121 ● 541122



Melody-R





613435 Max.9W

613436 Max.9W

Aluminum+Glass


IP 54 GU10

AC220-240V



Melody-D





613437 Max.9W

613438 Max.9W

Aluminum+Glass


IP 54 GU10

AC220-240V



Ocean





■ Aluminum


IP 44 GX53

AC220-240V

● 541053 Max.8W

Ocean Series Family Products

Bollard Luminaire



● 541054




● 541051



● 541052

Sunup





● 521152 Max.18W


■ Aluminum

IP 54 E27
AC220-240V

Surface Mounted Luminaire

Sunup





● 521153 Max.18W


■ Aluminum

IP 54 E27
AC220-240V

Beyond Light,
To the last details

Novelty





● 614200 Max.5W


■ Aluminum

IP 54 G9

AC220-240V

Accessories Specifications






● 614201

■ Aluminum






● 614202

■ Aluminum






● 614203

■ Aluminum






● 614205

■ Aluminum






● 614204

■ Aluminum



Radiant






● 614206 Max.5W

■ Aluminum

IP 54 G9

AC220-240V






● 614207

■ Aluminum





● 614208

■ Aluminum

LED Bollard & Bollard Luminaire


- LED Bollard Luminaire
- Bollard Luminaire



LED Bollard Luminaire

Blue Sky






● 541112 13W 3000K

■ Aluminum

IP 65 CRI 80
AC220-240V 30,000h






● 541113 13W 3000K

■ Aluminum

IP 65 CRI 80
AC220-240V 30,000h





● 541114 13W 3000K

■ Aluminum

IP 65 CRI 80
AC220-240V 30,000h

Blue Sky Series Family Products


LED Wall Luminaire

● 541079



Raindrop





● 521311 8.5W 3000K 550lm

■ Aluminum

IP 65 CRI 85 °60
AC100-240V 30,000h






● 521312 8.5W 3000K 550lm

■ Aluminum

IP 65 CRI 85 °60
AC100-240V 30,000h

Beings





● 521313 13W 3000K 550lm

■ Aluminum

IP 65 CRI 85 °140
AC100-240V 30,000h






● 521314 13W 3000K 550lm

■ Aluminum

IP 65 CRI 85 °140
AC100-240V 30,000h

LED Bollard Luminaire

Glowing



● 521315 8W 3000K 700lm

■ Aluminum

IP 65 CRI 95 °100
AC100-240V 30,000h






LED Bollard Luminaire

Avant






● 521316 7W 2700K 200lm

■ Aluminum

IP 54 CRI 95 °70
AC100-240V 30,000h

Idyll



● 521319 8.5W 2700K 385lm


■ Aluminum

IP 65 CRI 85 °70
AC100-240V 30,000h



Moonlight






● 541162 20W 3000K 470lm °260 ■ Aluminum

IP 65 CRI 85
AC100-240V 30,000h






● 541163 20W 3000K 550lm °270 ■ Aluminum

IP 65 CRI 85
AC100-240V 30,000h





● 541164 20W 3000K 570lm °280 ■ Aluminum

IP 65 CRI 85
AC100-240V 30,000h

Moonlight Series Family Products


LED Wall Luminaire

● 541165



Changing






- 541169 11W 3000K 740lm
- 541170 11W 4000K 800lm

■ Aluminum

IP 65 CRI 85 60°*2
AC100-240V 30,000h






- 541171 11W 3000K 740lm
- 541172 11W 4000K 800lm

■ Aluminum

IP 65 CRI 85 60°*2
AC100-240V 30,000h





- 541173 11W 3000K 740lm
- 541174 11W 4000K 800lm

■ Aluminum

IP 65 CRI 85 60°*2
AC100-240V 30,000h

Changing Series Family Products

LED Wall Luminaire

- 541175
- 541176



Winter





● 541187 13W 3000K 250lm

■ Aluminum

IP 65 CRI 85 °107
AC100-240V 30,000h





● 541188 13W 3000K 250lm

■ Aluminum

IP 65 CRI 85 °107
AC100-240V 30,000h





● 541189 13W 3000K 250lm


■ Aluminum

IP 65 CRI 85 °107
AC100-240V 30,000h



SkyEye






● 541192 7W 3000K 270lm

■ Aluminum

IP 54 CRI 85 °120
AC100-240V 30,000h







● 541193 7W 3000K 270lm

■ Aluminum

IP 54 CRI 85 °120
AC100-240V 30,000h





● 541194 7W 3000K 270lm

■ Aluminum

IP 54 CRI 85 °120
AC100-240V 30,000h

SkyEye Series Family Products

LED Wall Luminaire

● 541195




Beyond Light,
To the last details



Coastal-R






● 541031 Max.25W

■ Aluminum

IP 44 E27
AC220-240V






● 541032 Max.25W

■ Aluminum

IP 44 E27
AC220-240V





● 541033 Max.25W

■ Aluminum

IP 44 E27
AC220-240V

Coastal-R Series Family Products


Wall Luminaire

● 541034



Bliss






○ 541035 Max.25W
● 541039 Max.25W

■ Aluminum

IP 44 E27
AC220-240V






○ 541036 Max.25W
● 541040 Max.25W

■ Aluminum

IP 44 E27
AC220-240V



○ 541037 Max.25W
● 541041 Max.25W

■ Aluminum

IP 44 E27
AC220-240V

Bliss Series Family Products


Wall Luminaire

○ 541038
● 541042



Coastal-S






● 541047 Max.25W

■ Aluminum

IP 44 E27
AC220-240V






● 541048 Max.25W

■ Aluminum

IP 44 E27
AC220-240V



● 541049 Max.25W

■ Aluminum

IP 44 E27
AC220-240V

Coastal-S Series Family Products

Wall Luminaire


● 541050





Symphony






● 541116 Max.23W

■ Aluminum

IP 44 E27
AC220-240V






● 541117 Max.23W

■ Aluminum

IP 44 E27
AC220-240V





● 541118 Max.23W

■ Aluminum

IP 44 E27
AC220-240V

Symphony Series Family Products


Wall Luminaire

● 541119



Serein






● 541120 Max.25W

■ Aluminum

IP 44 E27
AC220-240V






● 541121 Max.25W

■ Aluminum

IP 44 E27
AC220-240V





● 541122 Max.25W

■ Aluminum

IP 44 E27
AC220-240V

Serein Series Family Products

Wall Luminaire


● 541123





Ocean






● 541054 Max.8W

■ Aluminum

IP 44 GX53
AC220-240V






● 541051 Max.8W

■ Aluminum

IP 44 GX53
AC220-240V





● 541052 Max.8W

■ Aluminum

IP 44 GX53
AC220-240V

Ocean Series Family Products

Wall Luminaire


● 541053





Echo






● 541058 Max.8W

■ Aluminum

IP 44 GX53
AC220-240V






● 541055 Max.8W

■ Aluminum

IP 44 GX53
AC220-240V





● 541056 Max.8W

■ Aluminum

IP 44 GX53
AC220-240V

Echo Series Family Products

Wall Luminaire


● 541057




Oasis



● 541157 Max.23W



● 541158 Max.23W



● 541159 Max.23W

■ Aluminum

IP 44 E27
AC220-240V

Oasis Series Family Products

Wall Luminaire




● 541160
● 541161

Projector Series


- LED Surface-Mounted Luminaire
- LED Spike Luminaire
- LED Spike Projector Luminaire
- Surface-Mounted Luminaire
- Spike Projector Luminaire

Azure Lake



● 541124 13W 3000K 1000lm ■ Aluminum

IP 65 CRI 85 °24
AC220-240V 30,000h



● 541127 20W 3000K 1700lm ■ Aluminum

IP 65 CRI 85 °20
AC220-240V 30,000h

Azure Lake




● 541126 13W 3000K 1000lm ■ Aluminum

IP 65 CRI 85 °24
AC220-240V 30,000h




● 541129 20W 3000K 1650lm ■ Aluminum

IP 65 CRI 85 °20
AC220-240V 30,000h




● 615520 3W 3000K 240lm ■ Stainless Steel + PC

IP 65 CRI 85 °200
AC220-240V 30,000h



● 615521 3W 3000K 240lm ■ Stainless Steel + PC

IP 65 CRI 85 °200
AC220-240V 30,000h




● 615522 3W 3000K 240lm ■ Stainless Steel + PC

IP 65 CRI 85 °200
AC220-240V 30,000h




Azure Lake



● 541125 13W 3000K 950lm ■ Aluminum

IP 65 CRI 85 °60
AC220-240V 30,000h




● 541128 20W 3000K 1550lm ■ Aluminum

IP 65 CRI 85 °20
AC220-240V 30,000h

Artistry






● 541130 Max.20W

■ Aluminum

IP 65 GU10
AC220-240V






● 541132 Max.20W

■ Aluminum

IP 65 GU10
AC220-240V

Neptune






● 541099 Max. 9W

■ Aluminum

IP 65 GU10
AC220-240V






● 541131 Max. 9W

■ Aluminum

IP 65 GU10
AC220-240V

In-Ground Luminaire Series


- LED In-ground Luminaire
- In-Ground Luminaire



● 615356 1W 3000K 55lm

■ Stainless Steel+Aluminum

IP 67 CRI 95 °30
AC220-240V 50,000h



● 615357 2.5W 3000K 95lm


■ Stainless Steel+Aluminum

IP 67 CRI 95 °30
AC220-240V 50,000h

● 615358 3.5W 3000K 130lm

■ Stainless Steel+Aluminum

IP 67 CRI 95 °30
AC220-240V 50,000h



●	615359	6W	3000K	230lm °10
	615360	8W	3000K	250lm °15
	615361	6W	3000K	240lm °30
	615362	10W	3000K	500lm °5
	615363	10W	3000K	400lm °10

■ Stainless Steel+Aluminum

IP 67 CRI 95
AC220-240V 50,000h

Star Sea



● 521301 3.5W 3000K 13lm

■ Aluminum+ADC12

IP 65 CRI 80 °2*84
AC100-240V 30,000h



● 521302 6W 3000K 24lm

■ Aluminum+ADC12

IP 65 CRI 80 °2*84
AC100-240V 30,000h




● 521303 10.5W 3000K 40lm

■ Aluminum+ADC12

IP 65 CRI 80 °21*80
AC100-240V 30,000h

Seafarer






● 612163 7.5W 3000K 715lm

■ Aluminum+SS3/4

IP 67 CRI 80 °20
AC220-240V 50,000h






● 612164 15W 3000K 1338lm

■ Aluminum+SS3/4

IP 67 CRI 80 °20
AC220-240V 50,000h






● 612165 30W 3000K 2682lm

■ Aluminum+SS3/4

IP 67 CRI 80 °20
AC220-240V 50,000h

Seafarer






● 612166 7.5W 3000K 715lm

■ Aluminum+SS3/4

IP 67 CRI 80 °20
AC220-240V 50,000h






● 612167 15W 3000K 1338lm

■ Aluminum+SS3/4

IP 67 CRI 80 °20
AC220-240V 50,000h






● 612168 30W 3000K 2682lm

■ Aluminum+SS3/4

IP 67 CRI 80 °20
AC220-240V 50,000h

Luminosity






● 612169 7.5W 3000K 500lm

■ Aluminum+SS3/4

IP 67 CRI 80 °15
AC220-240V 50,000h






● 612170 17W 3000K 1385lm

■ Aluminum+SS3/4

IP 67 CRI 80 °15
AC220-240V 50,000h






● 612171 27.5W 3000K 2437lm

■ Aluminum+SS3/4

IP 67 CRI 80 °15
AC220-240V 50,000h

Luminosity






● 612172 7.5W 3000K 500lm

■ Aluminum+SS3/4

IP 67 CRI 80 °15
AC220-240V 50,000h






● 612173 17W 3000K 1385lm

■ Aluminum+SS3/4

IP 67 CRI 80 °15
AC220-240V 50,000h





● 612174 27.5W 3000K 2437lm


■ Aluminum+SS3/4

IP 67 CRI 80 °15
AC220-240V 50,000h



Nebula





521201	2.5W	3000K	160lm	°30
521306	2.5W	3000K	130lm	°30
521307	2.5W	3000K	230lm	°70

■ Aluminum

IP 67 CRI 80
AC100-240V 30,000h





614225	3W	2700K	163lm


■ Aluminum

IP 67 CRI 80 °25
AC220-240V 30,000h

LED In-ground Luminaire

Nebula





●	521304	1.6W	3000K	75lm	°32
●	521305	1.6W	3000K	35lm	°70
●	521098	1.6W	3000K	100lm	°32
●	521129	1.6W	3000K	28lm	°32
●	521125	1.6W	3000K	100lm	°32

■ Aluminum

IP 67 CRI 80

AC100-240V 30,000h

Meteor






- 521202 2.5W 3000K 73lm °57°*236
- 521203 2.5W 3000K 80lm °13°*63

■ Aluminum

IP 67 CRI 80
AC100-240V 30,000h





- 521231 2.5W 3000K 15lm °13°*63
- 521232 2.5W 5700K 80lm °13°*63

■ Aluminum

IP 67 CRI 80
AC100-240V 30,000h






- 521236 2.5W 3000K 33lm °18°*90

■ Aluminum

IP 67 CRI 80
AC100-240V 30,000h

Milky Way






● 612513 4.4W 3000K 238lm

■ Aluminum

IP 65 CRI 80 °33
AC220-240V 50,000h






● 612517 8W 3000K 715lm

■ Aluminum

IP 65 CRI 80 °21
AC220-240V 50,000h






● 612514 4.4W 3000K 302lm

■ Aluminum

IP 65 CRI 80 °21
AC220-240V 50,000h






● 612518 8W 3000K 715lm

■ Aluminum

IP 65 CRI 80 °21
AC220-240V 50,000h

Comet






● 612515 3.4W 3000K 79lm

■ Aluminum

IP 65 CRI 80 °70
AC220-240V 50,000h







● 612519 8.2W 3000K 468lm

■ Aluminum

IP 65 CRI 80 °65
AC220-240V 50,000h






● 612516 3W 3000K 37lm

■ Aluminum

IP 65 CRI 80 °89
AC220-240V 50,000h






● 612520 5.4W 3000K 89lm

■ Aluminum

IP 65 CRI 80 °92
AC220-240V 50,000h

Supernova






● 613232 Max.9W

■ Stainless Steel
+Die Casting Aluminum

IP 65 MR11 GU10
AC220-240V





● 613233 Max.9W

■ Stainless Steel
+Die Casting Aluminum

IP 65 MR11 GU10
AC220-240V



Nightfall







● 612175 Max.9W

■ Aluminum+SS304

IP 65 GU10
AC220-240V





● 612176 Max.9W

■ Aluminum+SS304


IP 65 GU10
AC220-240V

Solar Light

- LED Solar Surface-Mounted Luminaire
- LED Solar Bollard Luminaire

Sunshine






● 614214 4.5W 3000K/4000K 350lm ■ Aluminum+PC

IP 65 CRI 80 °120
DC5V 35,000h


Tube



● 614217 ■ Aluminum+PC

SunBreeze






● 614215 4.5W 3000K/4000K 250lm ■ Aluminum+PC

IP 65 CRI 80 °180
DC5V 35,000h

Tube



● 614217 ■ Aluminum+PC




Galaxy



● 614216 4.5W 3000K/4000K 250lm ■ Aluminum+PC

IP 65 CRI 80 °180
DC5V 35,000h

Tube



● 614218 ■ Aluminum+PC

illus
ILLUMINATION

Contact Us
global@illuslighting.com
www.illuslighting.com
Find us in KSA, UAE, Oman, Kuwait, Qatar, Egypt, Spain, Bahrain, China.